

Amendments to the Claims

This listing of claims will replace all prior versions and listing of claims in the application.

Listing of Claims

Claims 1-14 (Canceled).

15. (original) A method for forming a mutagenized DNA molecule encoding an enzyme having protox activity from at least two non-identical template DNA molecules encoding enzymes having protox activity, said method comprising the steps of:

- a) adding to the template DNA molecules at least one oligonucleotide comprising an area of identity to each of the template DNA molecule;
- b) denaturing the resultant mixture into single-stranded molecules;
- c) incubating the resultant population of single-stranded molecules with a polymerase under conditions that result in the annealing of the oligonucleotides to the template DNA molecules, wherein the conditions for polymerization by the polymerase are such that polymerization products corresponding to a portion of the template DNA molecules are obtained;
- d) repeating the second and third steps for at least two further cycles, wherein the extension products obtained in step c) are able to switch template DNA molecule for polymerization in the next cycle, thereby forming a mutagenized double-stranded polynucleotide comprising sequences derived from different template DNA molecules;

wherein the mutagenized double-stranded polynucleotide encodes a protox enzyme having enhanced tolerance to a herbicide that inhibits the protox activity encoded by the template DNA molecules.

16. (original) The method of claim 15, wherein at least one template DNA molecule is derived from a eukaryote.

17. (original) The method of claim 16, wherein said eukaryote is a higher eukaryote.

18. (original) The method of claim 17, wherein said higher eukaryote is a plant.

19. (original) The method of claim 17, wherein said plant is selected from the group consisting of *Arabidopsis thaliana*, oilseed rape, soybean, sugarbeet, cotton, maize, wheat, rice, sugarcane, and sorghum.

20. (original) The method of claim 17, wherein at least one said template DNA molecule derived from said plant comprises at least one mutation and encodes a modified protoporphyrinogen oxidase (protox) having at least one amino acid modification, wherein said modified protox is tolerant to a herbicide in amounts that inhibit said protox.

21. (previously presented) The method of claim 20, wherein at least one said template DNA molecule is further characterized in that at least one of the following conditions is met:

- (a) said template DNA molecule has a sequence that encodes amino acid sub-sequence $AP\Delta_1F$, wherein Δ_1 is an amino acid other than arginine;
- (b) said template DNA molecule has a sequence that encodes amino acid sub-sequence $F\Delta_2S$, wherein Δ_2 is an amino acid other than cysteine;
- (c) said template DNA molecule has a sequence that encodes amino acid sub-sequence $Y\Delta_3G$, wherein Δ_3 is an amino acid other than alanine;
- (d) said template DNA molecule has a sequence that encodes amino acid sub-sequence $A\Delta_4D$, wherein Δ_4 is an amino acid other than glycine;
- (e) said template DNA molecule has a sequence that encodes amino acid sub-sequence $Y\Delta_5P$, wherein Δ_5 is an amino acid other than proline;
- (f) said template DNA molecule has a sequence that encodes amino acid sub-sequence $P\Delta_6A$, wherein Δ_6 is an amino acid other than valine;
- (g) said template DNA molecule has a sequence that encodes amino acid sub-sequence Δ_7IG , wherein Δ_7 is an amino acid other than tyrosine;
- (h) said template DNA molecule has a sequence that encodes amino acid sub-sequence $YIGG\Delta_8$, wherein Δ_8 is an amino acid other than alanine or serine;
- (i) said template DNA molecule has a sequence that encodes amino acid sub-sequence $A\Delta_9P$, wherein Δ_9 is an amino acid other than isoleucine;
- (j) said template DNA molecule has a sequence that encodes amino acid sub-sequence $G\Delta_{10}A$, wherein Δ_{10} is an amino acid other than valine;

- (k) said template DNA molecule has a sequence that encodes amino acid sub-sequence $Y\Delta_3G$, wherein Δ_3 is an amino acid other than alanine, and said template DNA molecule also has a sequence that encodes one of the group consisting of:
- (1) sub-sequence $Q\Delta_{11}S$, wherein Δ_{11} is an amino acid other than proline,
 - (2) sub-sequence $IGG\Delta_{12}$, wherein Δ_{12} is an amino acid other than threonine,
 - (3) sub-sequence $SWXL\Delta_{13}$, wherein Δ_{13} is an amino acid other than serine,
 - (4) sub-sequence $L\Delta_{14}Y$, wherein Δ_{14} is an amino acid other than asparagine, and
 - (5) sub-sequence $G\Delta_{15}XGL$, wherein Δ_{15} is an amino acid other than tyrosine;
- (l) said template DNA molecule has a sequence that encodes amino acid sub-sequence Δ_7IG , wherein Δ_7 is an amino acid other than tyrosine, and said template DNA molecule also has a sequence that encodes one of the group consisting of:
- (1) sub-sequence $Q\Delta_{11}S$, wherein Δ_{11} is an amino acid other than proline,
 - (2) sub-sequence $IGG\Delta_{12}$, wherein Δ_{12} is an amino acid other than threonine,
 - (3) sub-sequence $SWXL\Delta_{13}$, wherein Δ_{13} is an amino acid other than serine,
 - (4) sub-sequence $L\Delta_{14}Y$, wherein Δ_{14} is an amino acid other than asparagine, and
 - (5) sub-sequence $G\Delta_{15}XGL$, wherein Δ_{15} is an amino acid other than tyrosine; and
- (m) said template DNA molecule has a sequence that encodes amino acid sub-sequence $T\Delta_{16}G$, wherein Δ_{16} is an amino acid other than leucine, and said template DNA molecule also has a sequence that encodes amino acid sub-sequence $YV\Delta_{17}G$, wherein Δ_{17} is an amino acid other than alanine.

22. (original) The method of claim 15, wherein at least one said template DNA molecule is derived from a prokaryote.

23. (original) The method of claim 15, wherein said herbicide is selected from the group consisting of an aryluracil, a diphenylether, an oxidiazole, an imide, a phenyl pyrazole, a pyridyl pyrazole, a pyridine derivative, a 3-substituted-2-aryl-4,5,6,7-tetrahydroindazole, a phenopylate and O-phenylpyrrolidino- and piperidinocarbamate analogs of said phenopylate.

Claims 24-46 (Canceled).